





HBE

Hydraulic Components Drive Couplings Oil Tanks



MORE THAN 25 YEARS EXPERIENCE IN HYDRAULIC COMPONENTS

公司简介


THE COMPANY



HBE 团队介绍
HBE-Team



诺因拉德生产基地
Production premises Neuenrade



钟形罩的强度计算
Strength calculation of a bellhousing

公司简介

HBE 的优质液压配件，应用于工业领域的各种液压和动力传输。从 1984 年成立开始，HBE 的各种油箱就受到了市场青睐。现在，凭借着品种广泛，性能可靠，货期短，和优秀的客户支持，HBE 已经成为行业内领先的生产制造商。HBE 拥有近 50 位员工，依托 E-holding 集团在 20 几个国家的分销商、代理商、合作伙伴，为世界上几乎所有工业化国家提供优异的产品。

从 1996 年开始，HBE 通过了 DIN EN ISO 9001:2000 认证，2010 年又成功地通过了最新的 DIN EN ISO 9001:2008 认证。此外，HBE 还是获得 DIN 18800 和 §19L Federal Water Act. 认证的焊接生产商。

THE COMPANY

HBE high quality components are applied in the hydraulic and drive technology industries. Since the formation of the company in 1984, oil tanks have supplemented the product programme. Offering an extensive product range, absolute reliability, short delivery times and a superior level of customer support, HBE has become one of the leading manufacturers in its specific market segments. HBE has approximately 50 employees and supplies its products to almost all industrial countries worldwide in affiliation with the e.holding foreign distribution companies, sales partners and agencies in more than 20 countries. Since 1996, HBE is certified according to DIN EN ISO 9001:2000. In 2010, HBE successfully implemented the newest standard DIN EN ISO 9001:2008. Furthermore, HBE is accredited as a certified welding shop according to DIN 18800 and according to §19L Federal Water Act.



产品目录

DELIVERY PROGRAMME

HBE

- 钢质油箱, 不锈钢质油箱
- **DIN 24339 + HBE 标准**
- Oil tanks made of steel / stainless steel
- DIN 24339 + HBE standard




- 铝质油箱
- 铸铝油箱, 容积 **3,5L-70L**
- Oil tanks made of aluminium
- Aluminium die-casting tanks 3.5 l-70 l



- 油箱清洗盖直径 **Ø 235-595 mm**
- 液位开关, 液位指示计和空虑注油塞
- Cleaning covers Ø 235-595 mm
- Level switches, level oil gauges and fillers




- 油箱加热器
- 旋入式安装/沉入式安装
- 功率范围 **0,25-5 kW**
- Tank heaters
- Screwed heaters / flange heaters
- Range of capacity 0.25-5 kW



- 钟形罩
- 脚支架/安装法兰
- 减震环/减震条/减震法兰
- Bellhousings
- Foot brackets / mounting flanges
- Damping rings / damping rods / damping flanges



- 带油冷钟罩, 可配 IEC 电机 **0,55-22 kW**
- 油/气和油/水热交换器
- 旁路冷却器
- Bellhousing with oil cooler for IEC motors 0.55-22 kW
- Oil / air and oil / water heat exchangers
- Bypass-flow cooling unit



- **SOFTEX®** 无背隙弹性联轴器
- 联轴器材质有铝, 钢和铸铁三种
- 弹性联轴器应用与液压和机械工程传动
- SOFTEX® elastic and no backlash shaft couplings
- Couplings made of aluminium, steel and GG
- Elastic coupling links for hydraulic and mechanical engineering




- **STAREX®** 挠性联轴器
- 钢制轴套与塑料套筒或塑料法兰组合
- STAREX® flexible couplings
- Combination steel hubs / plastic sleeves or flanges



若需产品资料或产品目录, 请垂询。

PLEASE ASK FOR OUR PRODUCT LINE CATALOGUES OR OUR DELIVERY PROGRAMME CATALOGUE.





全球网络

长期合作伙伴和集团子公司

- 个人
- 胜任
- 高效

WORLDWIDE SERVICE

qualified advice through
longstanding cooperation partners
and own distribution companies

- personal
- competent
- efficient

澳大利亚

Australia

奥地利

Austria

比利时

Belgium

巴西

Brasil

加拿大

Canada

中国*

China*

捷克

Czech Republic

丹麦

Denmark

芬兰

Finland

法国*

France*

英国*

Great Britain*

印度*

India*

意大利*

Italy*

日本

Japan

马来西亚

Malaysia

挪威

Norway

菲律宾

Philippines

波兰

Poland

Portugal

Romania

俄罗斯

Russia

新加坡

Singapore

斯洛伐克

Slovak Republic

Slovenia

南非

South Africa

韩国

South Korea

西班牙

Spain

Sweden

瑞士

Switzerland

Taiwan

荷兰

The Netherlands

土耳其

Turkey

美国*

USA*

*集团子公司

* own distribution companies



凯备易流体设备（上海）有限公司
上海闵行区江川路2025号

HBE GmbH
Postfach/P.O.Box 1230

HBE hydraulic components

电话: 021-64779207
021-64779206
传真: 021-64779208

58804 Neuenrade/Germany
info@hbe-hydraulics.com
www.hbe-hydraulics.com

e.holding
FLUID TECHNOLOGY GROUP www.e-holding.de